

SCS

Safety & Construction Supply, Inc.

25th Silver Anniversary Edition



**Experts in the Work Place.
Experts in the Work Zone.**

**303-371-8805 • 800-748-2646
www.traffic-workzone.com**

To our loyal customers and some newcomers:

Welcome to the **TWENTY FIFTH ANNIVERSARY EDITION** of our catalog!

Since we began doing business on April 15, 1986 (*because we can always remember tax day as our birthday*) we all have experienced many changes. One thing hasn't - We will always appreciate and depend on our loyal customers.

There are a few changes in our new edition:

NEW FORMAT The new catalog is expanded with more pages, product information, and useful industry-related topical summaries and information in each section.

NEW PRODUCTS The most current and innovative new products in the safety and traffic control industry are located throughout each section of the catalog and are designated by a new products icon



Visit our website www.traffic-workzone.com for new product introductions, industry updates, etc.

USA MANUFACTURED PRODUCTS We are certainly proud of the fact that over 70% of the products listed in this catalog are manufactured in the United States of America. We believe that our customers need to know which products are made in the United States and understand the value of purchasing products made in our own country by our fellow citizens. These are located throughout our catalog and designated by the following icon



PINK PAGE On page 1 there is a variety of personal protective equipment especially designed for women in the work place.

SCS IS GOING SOLAR!

There are a few things in our new catalog that HAVEN'T changed in our new edition:

LOCALLY OWNED SMALL BUSINESS/DISADVANTAGED BUSINESS
SCS is still a Colorado owned and operated small business which is certified by RMSDC (NMSDC) and the State of Colorado. We are also certified with many other agencies and corporations.

PEOPLE I am extremely proud of the fact that over the last 25 years our company has managed to retain the key core people which made the company a success all along. So thanks Judy, Jack, Howard, Phil, Roger, Jerry, and the other valued employees.

 , CEO

Find us on Facebook

TABLE OF CONTENTS

PERSONAL SAFETY

Women's (Pink) Page	0-0
Head Protection	0-0
Eye Protection	0-0
Face Protection	0-0
Eyewear Accessories	0-0
Hearing Protection	0-0
Respiratory	0-0
Protective Clothing	0-0
Hand/Arm	0-0
Foot/Leg	0-0
Ergonomics	0-0
Seasonal Products	0-0

INDUSTRIAL SAFETY

First Aid	0-0
Prevention	0-0
Outdoor	0-0
Rehydration	0-0
Eyewash/Drench	
Showers	0-0
Fire Protection	0-0
Materials Storage	0-0
Spill Containment	0-0
Plant Safety	0-0
Fall Protection	0-0
Confined Space	0-0
Instruments	0-0
Ventilation	0-0
Utility/Manhole	0-0
Portable Lights	0-0
Batteries	0-0

UTILITY SAFETY

Ladders	0-0
Marking Tape	0-0
Marking Paint	0-0
Utility Markers	0-0
Fencing	0-0

TRAFFIC CONTROL/ WORK ZONE

Vests	0-0
Work Zone	0-0
Paddles/Flags	0-0
Traffic Cones	0-0
Speed Bumps	0-0
Signs/Stands	0-0
Reflectors	0-0
Barrels	0-0
Barricades	0-0
Barricade Lights	0-0
Guide Posts	0-0
Channelizers	0-0
Attenuator Barrels	0-0
Arrow/Message	
Boards	0-0
Speed Indicators	0-0
Caution Beacons	0-0
Vehicle Mount Attenuator	0-0

FLEET/VEHICLE SAFETY

Lights/Directional Bars	0-0
Warning Accessories	0-0
Vehicle Accessories	0-0
Safety Kits	0-0

E-PROCUREMENT

PROCUREMENT A freight pre-paid purchasing program for qualified governmental entities.

TECHNICAL SUPPORT/INFORMATIONAL REQUESTS Your technical questions in any category of product we stock are answered free of charge by our friendly, knowledgeable sales personnel.

PRICE QUANTITIES/CONTRACT PRICING Pricing is generally based on volume purchases. Please call for a quote on annual contracts, blanket purchase order agreements, and large volume discounts, mail or fax your RFQ's to SCS, attention: Quote Desk.

CUSTOMIZED KIT ASSEMBLY SCS has experience in Personal Safety, New Hire and Vehicle Safety Kits which are shipped to various locations with documentation packages if requested.

JUST-IN-TIME SCHEDULING Let us help you manage your inventory by stocking and shipping within 24 hours of receiving your order. Please ask one of our sales people for more information.

RENTAL EQUIPMENT SCS offers daily and weekly rental rates on the following items: *gas monitors, rescue retrieval systems, ventilation blowers, arrow boards and message boards. Please call for rates. Offered in the Denver Metro Area only.*

HOW TO ORDER FROM SCS

Phone: 303-371-8805 Business hours 7:30am-4:30pm MDT

Fax: 303-371-8815 24 hours

Mail: Company order form is on page 175 (*can be mailed or faxed*).

ONLINE ORDERING You may access our secure interactive online order form at www.traffic-control.com. This is a password protected website in which you can place orders at agreed prices.

BILLING AND INVOICING SCS accepts Visa, Mastercard, Discover and American Express, Individual and government cards. Please have your card number, expiration date, and ccv code ready when placing an order. We also bill to accounts that have been approved for credit (*see terms and conditions on the back inside cover*). **SCS NOW ACCEPTS ELECTRONIC FUNDS TRANSFER (EFT).**

UTILITY LADDER

Lightweight aluminum ladder is a good light-duty general-purpose ladder.



Features

- Comfortable, tubular rails.
- Slip-resistant steps.
- Mar-resistant rubber tip feet.
- Lightweight – easy action open-close.
- Compact for convenient storage – folds to 3”.
- Type III duty rating.
- 200 lb. load capacity.

PRODUCT NO.	DESCRIPTION
EDO-244	3.5 FT. LADDER, 7 LB.

EXTRA HEAVY-DUTY STEP LADDER

Lightweight fiberglass step ladder is strong and has orange non-conductive side rails.



Features

- Back-up plates reinforce all top connectors.
- Shoulder bolt and nut on top hinge.
- 4 rivets attach top to each front rail.
- All steps and two rear horizontals are knee-braced.
- Double riveted, slip-resistant Traction-Tred® steps.
- Heavy duty internal spreaders.
- Full set of rear horizontals spaced one per foot.
- Shoe pads riveted to the EDGE® - molded brace and foot pad combination provides enhanced bracing strength and increased protection against damage.
- Every rivet backed up by metal plate or washer to protect rails.
- Type IA duty rating.
- 300 lb. load capacity.

PRODUCT NO.	DESCRIPTION
EDO-6205	5 FT. LADDER, 19 LB.
EDO-6206	6 FT. LADDER, 22 LB.
EDO-6207	7 FT. LADDER, 26 LB.
EDO-6208	8 FT. LADDER, 30 LB.
EDO-6210	10 FT. LADDER, 39 LB.
EDO-6212	12 FT. LADDER, 48 LB.

FIBERGLASS STEP LADDER

Extra heavy duty aluminum Holster Top®



Features

- Thick side plates.
- Shoulder bolt and lock nut on top hinge; 4 solid aluminum rivets attach top to each front rail.
- Slip-resistant Traction-Tred® steps are double riveted and have extra wide knee braces.
- Extra heavy duty internal spreaders.
- The EDGE® bracing system helps to decrease damage to rail.
- Type IAA duty rating.
- 375 lb. load capacity.

PRODUCT NO.	DESCRIPTION
EDO-7403	3 FT. LADDER, 16 LB.
EDO-7404	4 FT. LADDER, 19 LB.
EDO-7405	5 FT. LADDER, 23.5 LB.
EDO-7406	6 FT. LADDER, 27 LB.
EDO-7407	7 FT. LADDER, 32 LB.
EDO-7408	8 FT. LADDER, 36 LB.
EDO-7410	10 FT. LADDER, 45 LB.
EDO-7412	12 FT. LADDER, 56 LB.

COMBINATION STEP/EXTENSION LADDER

This unique ladder gives the user the flexibility of a step ladder or an extension ladder all in one.



Features

- Protective, mar-resistant rubber covered molded end caps (extension ladder position).
- Padded V-rung (extension ladder position).
- Universal brackets used for mounting of V-rung (extension ladder position).
- Nylon coated rung wear sleeves and guides increase ease of operation (extension ladder position).
- Fixed aluminum locks with bearing plates to distribute load on rung (extension ladder position).
- Heavy gauge steel bracket engages steel pin to lock section (stepladder position).
- Slip-resistant Traction-Tred® round rungs.
- Extra large feet with ribbed rubber pads.
- Type IAA duty rating.
- 375 lb. load capacity.

PRODUCT NO.	DESCRIPTION
EDO-7806	6 FT. LADDER, 9.5 LENGTH
EDO-7807	7 FT. LADDER, 11.5 LENGTH
EDO-7808	8 FT. LADDER, 13.6 LENGTH

EXTENSION LADDER

Extra heavy-duty fiberglass ladder for industrial use on a daily basis.



Features

- Orange non-conductive fiberglass side rails.
- Non-irritating fabric outer mat.
- Direct rung-to-rail connections with exclusive ALFO rung joints.
- Traction-Tred 1.5" aluminum D-rings.
- Interlocking side rails.
- Type IA duty rating.
- 300 lb. load capacity.

PRODUCT NO.	DESCRIPTION
EDO-D6216-2	16 FT. LADDER, 34 LB.
EDO-D6220-2	20 FT. LADDER, 40 LB.
EDO-D6224-2	24 FT. LADDER, 51 LB.
EDO-D6228-2	28 FT. LADDER, 60 LB.
EDO-D6232-2	32 FT. LADDER, 74 LB.

EXTENSION LADDER

The D7500 series has been designed specifically for the utilities industry.



Features

- Slip-resistant Traction-Tred D-rings.
- Nylon-coated internal guides on bottom of fly section increase ease of operation.
- Shoe with slip-resistant pad and spur plate.
- Base and fly section separate easily to use base section as single ladder.
- Double rail shield and shoe bracket protects rail from damage.
- Plate and rung assembly is riveted at four points to each side rail to allow for rung replacement.
- Hi-strength nylon-coated guides at top of base section reduce friction for ease of operation.
- Type IAA duty rating.
- 375 lb. load capacity.

PRODUCT NO.	DESCRIPTION
EDO-D7516-2	16 FT. LADDER, 45 LB. NOT EQUIPPED WITH ROPE & PULLY
EDO-D7520-2	20 FT. LADDER, 53 LB.
EDO-D7524-2	24 FT. LADDER, 62 LB.
EDO-D7528-2	28 FT. LADDER, 70 LB.
EDO-D7532-2	32 FT. LADDER, 81 LB.

CABLE HOOK/V-RUNG

Cable hook and v-rung assembly functions as both cable hook and v-rung.



Features

- Use in applications where the diameter of the pole at the point of support does not exceed 10".
- Steel v-rung has rubber pad for slip-resistant performance.
- One cable hook and v-rung assembly, mounting hardware and instructions included.

PRODUCT NO.	DESCRIPTION
EDO-92-90	CABLE HOOK/V-RUNG

LADDER STRAP KIT

Why struggle with long ropes and clumsy canvas straps?

INDEPENDENT TECHNOLOGIES

Features

- Safe-Ties improve job safety without hassle.
- A convenient method of securing a ladder against a pole before climbing.
- The ITC-6004 uses a strap loop around the ladder rail.
- Less time-consuming release without ladder-lifting or fighting knots.
- Two quick-release buckles make takedown a 30-second job.
- Made from tough Nylon 66 webbing that won't mildew or rot.
- No expensive retrofit required.
- Meets OSHA requirements for securing a ladder.
- Carrying case and instructions included.
- Load capacity is combined weight of both user and materials.



PRODUCT NO.	DESCRIPTION
EDO-ITC-6004	LADDER STRAP

FLAGGING TAPE

Rugged polyethylene plastic tape.



Features

- Used for surveying, contracting jobs and public utilities.
- Ideal to mark right-of-way, boundary lines and trees.
- Standard colors come in 1-3/16" x 300' rolls.
- Fluorescent colors come in 1-3/16" x 150' rolls.



PRODUCT NO.	COLOR
EAO-FTR	RED
EAO-FTW	WHITE
EAO-FTFY	FLUORESCENT YELLOW
EAO-FTB	BLUE
EAO-FTO	ORANGE
EAO-FTFLG	FLUORESCENT GREEN
EAO-FTGP	GLO PINK
EAO-FTFO	FLUORESCENT ORANGE

BARRICADE TAPE

Barricade tape provides warnings of hazards indoors or out!

Features

- Economical, strong and disposable.
- Made from 3 mil low-density polyethylene vinyl.
- Printed in bold black letters.
- High visibility.
- Yellow or red.
- Other colors and legends available, call for pricing.
- 3" x 1000' rolls.
- Detectable tape available by special order, call for pricing.



• Custom logos available upon request. Please call for more information.

PRODUCT NO.	DESCRIPTION
EAO-CBT7	CAUTION CONSTRUCTION AREA
EAO-CBT10	CAUTION CAUTION CAUTION
EAO-CBT11	CAUTION DO NOT ENTER
EAO-CBT50	DANGER DO NOT ENTER

STAKE CHASERS™

Easily recognizable and bright. To help contractors avoid buried utilities.

Smi-Carr, Inc.



Features

- Durable polymer wisker flags withstand heavy traffic and equipment.
- Wiskers can be graded over and will return to vertical position.
- Attach easily to stakes, laths, 60-penny nails and even railroad spikes.
- Colors available: red, orange, yellow, blue, and green.
- 1000 per box.



PRODUCT NO.	DESCRIPTION
EAO-(COLOR)1000	STAKE CHASER™

MARKING FLAGS

Blackburn marking flags are an industry standard for utilities, municipalities, landscapers and construction jobs.



Features

- 4" x 5" flags.
- Fade resistant colors.
- Plain, industry standard messages or custom text.
- Please call with your requirements.
- One time set-up charge.
- 21" and 30" wire staff length.
- Available in many colors.
- 1000 per box.



PRODUCT NO.	DESCRIPTION
EAO-451W-21	21" WIRE STAFF FLAG, WHITE
EAO-450R-30	30" WIRE STAFF FLAG, RED



MARKING PAINT

Aervoe's solvent-based marking paint is a superior upside-down marking paint designed to mark clearly and effectively the location of underground utilities, planned construction, and survey marking. Colors are formulated to meet standards set by OSHA and APWA/One call systems. Adheres to almost any surface, including wood, concrete, asphalt, brick and gravel. Clearly marks proposed excavation, surveying and landscape marking. Fast-drying, larger can (17oz.) with over 1500 lineal feet of coverage.

Features

- Non-clogging can empties contents completely.
- Available in regular and fluorescent colors.
- Mark is visible for 3 to 6 months depending on traffic and exposure.
- Patented spray-through cap can be left on or easily removed.
- 12 cans per case.
- Sold by the case.



PRODUCT NO.	COLOR
EAO-A207	WHITE
EAO-A222	FLUORESCENT ORANGE
EAO-A224	FLUORESCENT GREEN
EAO-A227	FLUORESCENT BLUE
EAO-A229	FLUORESCENT PINK
EAO-A201	APWA RED
EAO-A202	APWA YELLOW
EAO-A204	APWA GREEN



SPRAY CHALK

Aervoe chalks are a special blend of raw materials that are safe on turf surfaces and are designed specifically for temporary marking. May also be used for utility marking, construction sites, surveying and landscape projects.



Features

- Lead free, non-clogging can, empties contents completely.
- Mark disappears in 10-20 days when exposed to water, traffic, and other abrasions.
- Easy clean up with soap and water within 10 minutes of application.
- 15oz. can size.
- 12 cans per case.
- Sold by the case.

PRODUCT NO.	COLOR
EAO-A214	BLUE
EAO-A215	WHITE
EAO-A216	RED
EAO-A217	ORANGE
EAO-A218	YELLOW
EAO-A219	GREEN



TURF MARKING PAINT

This product is designed to adhere to most surfaces including: grass, pavement, concrete, gravel and soil. Perfect for landscapers, golf courses, parks, athletic fields, etc.



Features

- Will not damage or burn turf or roots.
- Mark lasts up to 2 months.
- May be cut off after the grass has grown out.
- Water based durable marking paint.
- Formulated with Aervoe's patented latex resin system.
- Lead-free, non-flammable, non-clogging.
- Meets standards set by OSHA and APWA.
- 20oz. cans has a net 17oz. of paint.
- Available in yellow or white.
- Sold by the case, only.

PRODUCT NO.	COLOR
EA0-A291	WHITE
EA0-A293	YELLOW

VERS-A-STRIPER

This new, redesigned striper is ideal for parking lots, warehouse aisles, school yards, apartment complexes, road surfaces, tennis courts, fairgrounds, factory safety aisles, baseball and track fields, and athletic field striping.



Features

- Light weight and portable.
- Easily assembled.
- Stripe width adjusts from 2" to 4".
- For use on hard surfaces such as asphalt and concrete.
- Includes a striping alignment guide and radius wheel for making smooth arcs.
- Use with Aervoe Striping Paints only.



PRODUCT NO.	DESCRIPTION
EA0-800	VERS-A-STRIPER

STRIPING PAINT

Solvent-based striping paint adheres to a variety of surfaces, including asphalt and concrete.



Features

- Fast drying - 5 minutes to touch.
- Durable, long-lasting stripe.
- High-visibility colors.
- VOC compliant and lead-free.
- Non-clogging spray tip.
- Excellent resistance to traffic, oil and gasoline.
- Asphalt black available to correct mistakes or cover existing lines.
- One case of 12oz. cans will yield a 4" stripe of approximately 800'.
- Sold by the case, only.

PRODUCT NO.	COLOR
EA0-710	TRAFFIC WHITE
EA0-720	TRAFFIC YELLOW
EA0-770	ASPHALT BLACK

PAINT STICKS

Paint sticks are an inexpensive way to mark utility lines, athletic fields and any other job that requires upside-down marking paint.



Can be used for marking turf.
Use paint or chalk.

Features

- Helps reduce back strain from bending over for prolonged periods of time.
- For stenciling and touch-up striped lines.
- Approximately 36" long.
- For use with Aervoe marking paints only.



PRODUCT NO.	DESCRIPTION
EA0-A245	MARKING STICK

SAFETY FENCE

The diamond link is a rigid and strong fence that is much lighter and easier to work with than metal chain-link fence. Safety fence effectively controls crowds and traffic around construction sites, and industrial facilities, and protects utility workers, plus much more.



Features

- Plastic diamond mesh pattern for rigidity.
- Made of durable orange polyethylene.
- Safety fence is rugged, yet flexible, reusable, highly visible and UV stabilized.
- Ideal for temporary or permanent enclosures.
- Black color is now available, call for pricing.

PRODUCT NO.	DESCRIPTION
EAO-2088353	ORANGE SAFETY FENCE 4' X 50'
EAO-7000-1400	GREEN SAFETY FENCE 4' X 100'

SANDBAGS

Sandbags can be used to ballast sign stands, channelizer barrels, vertical panel barricades, etc., as well as flood control.



Features

- Comes in orange, white and green.
- Green woven sandbags are longer-lasting and are preferred for long-duration and heavy-duty usage.
- Made of UV-stabilized woven polypropylene.
- All sandbags have a drawstring for easy closure.
- 100 per bundle.

PRODUCT NO.	COLOR
EAO-0119174WHT	WHITE SANDBAG
EAO-0119174GR	GREEN SANDBAG
EAO-31001100	ORANGE SANDBAG

SNOW/SAND FENCE

This fence is used to control drifting snow and sand. It is also good for crowd control and recreational areas as well as around construction sites.



Features

- Light weight and portable.
- Reversible and easy-to-handle.
- Comes in 4' x 100'.
- Available in orange.
- Other colors available upon request, call for pricing.

PRODUCT NO.	DESCRIPTION
EAO-0110348	SNOW FENCE 100'

LANDSCAPE FENCE

Also known as silt fence, this pre-staked fence is great for keeping landscape jobs intact during building and storms.



Features

- Easy install, just layout fence and hammer in stakes.
- 48" stakes made of 1.1/4" x 1.1/4" oak placed every 10'.
- 3' tall by 100' in length.

PRODUCT NO.	COLOR
EAO-3X100-W/11	FENCE 3' X 100'



RHINO FIBERCURVE™ AND 3-RAIL™ POSTS WITH POLYTECH COATING


The Rhino FiberCurve™ concave design allows the post to flatten out completely when hit, then snap back into its normal upright position. This tough post will even withstand a direct hit from a tire at 55 mph. The patented (US PAT. #6, 158.919) PolyTech Coating™ totally blocks harmful ultraviolet light rays from reaching the resins and reinforcing fibers. Even after 20 years of simulated weather conditions, the color and tensile strengths of the Rhino FiberCurve™ are virtually the same as the day they are manufactured. The 3-Rail™ design allows the post to bend on impact and snap back to an upright position.

Features

- Rigid enough to be installed easily in most soil conditions.
- Able to withstand repeated impacts.
- Comes in many colors: white, yellow, orange, red, blue, purple, green and brown.
- 20 per box, call for volume pricing.
- Decals sold separately.
- Installation tools must be ordered separately.



PRODUCT NO.	COLOR
EAO-FC66C-C	FIBERCURVE™ POST, 5.5'
EAO-FC72C-C	FIBERCURVE™ POST, 6'
EAO-FC78C-C	FIBERCURVE™ POST, 6.5'
EAO-FR-SIZE-COLOR	3-RAIL™ POST, 5.5', 6', OR 6.5'
EAO-FPD-44	TOOL, DRIVER FOR 60-72" POSTS, FIBERCURVE™ OR 3-RAIL™



RHINO TRIVIEW™ FLEX POSTS

The highly visible Rhino TriView™ Flex's triangular design (US PAT. #6,099,203) ensures that your warning message can be seen from any direction.



Features

- Durable and flexible. Withstands repeated vehicle impacts and still snaps back to an upright position.
- Ultraviolet light stabilizers that will keep the bright color of the post from fading in the sun.
- Temperature stable from -30°F to +150°F.
- Can be buried or slid over existing metal u-channel posts.
- Specify color when ordering.
- Call for volume pricing.
- Decals sold separately.
- Pricing includes a 16" soil anchor.



PRODUCT NO.	DESCRIPTION
EAO-TVFA48-C-B	TRIVIEW FLEX 4'
EAO-TVFA60-C-B	TRIVIEW FLEX 5'
EAO-TVFA72-C-B	TRIVIEW FLEX 6'
EAO-TVAD-100	DRIVER FOR TRIVIEW POST

MARKING POST DECALS

Purchase name/phone decals to add to standard legends for complete identification, or custom decals with company/organization name and phone numbers printed directly on the label.



Features

- Standard legends 2.7/8" x 14".
- Customize your decal.
- One time set-up art charge.
- Call for pricing.



PRODUCT NO.	DESCRIPTION
EAO-SPECIFY LEGEND	STANDARD DECAL 2.7/8" X 14"
EAO-NPD-XXXXX	NAME/PHONE DECAL FOR ABOVE
EAO-SPECIFY LEGEND	CUSTOM DECAL 2.7/8" X 14"

CREDIT APPLICATION

SAFETY AND CONSTRUCTION SUPPLY, INC.

5590 Joliet Street Denver, Colorado 80239

Phone: 800-748-266 Fax: 303-371-8815

IMPORTANT INFORMATION

Company Name: _____

Type of business: _____

Billing address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____ Email: _____

Date Company Started Business: _____ FEIN/SS# _____

SHIPPING ADDRESS:

Company Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____ Email: _____

BILLING INFORMATION

Officers/Owners Name: _____

Title: _____

Accounts Payable Contact: _____ Phone: _____

Purchasing Contact: _____ Phone: _____

Are purchase orders required? _____

TRADE REFERENCES (FAX NUMBERS REQUIRED FOR CREDIT)

Company Name: _____ Company Name: _____

Contact: _____ Contact: _____

Address: _____ City, State, Zip: _____ Address: _____ City, State, Zip: _____

Phone: _____ Fax (required): _____ Phone: _____ Fax (required): _____

Account Number: _____ Account Number: _____

Company Name: _____ Company Name: _____

Contact: _____ Contact: _____

Address: _____ City, State, Zip: _____ Address: _____ City, State, Zip: _____

Phone: _____ Fax (required): _____ Phone: _____ Fax (required): _____

Account Number: _____ Account Number: _____

BANK INFORMATION

Bank Name: _____

Contact: _____

Address: _____ City, State, Zip: _____

Phone: _____ Fax (required): _____

Checking Account Number: _____

Savings Account Number: _____

CREDIT QUESTIONS (REQUIRED)

Have you ever filed for bankruptcy, or have you had an involuntary bankruptcy filed against you? Yes or No (circle one).

If yes, when? _____

Have you ever been sued or been involved in a lawsuit? Yes or No (circle one).

If yes, please provide details. _____

SAFETY AND CONSTRUCTION SUPPLY, INC.

5590 Joliet Street Denver, Colorado 80239

Phone: 800-748-266 Fax: 303-371-8815

TERMS AND CONDITIONS

TERMS are net 20 unless otherwise stated. A finance charge of 1.5% per month will be added to all invoices that are not paid within 45 days. ALL CREDIT ACCOUNTS MUST MAINTAIN BOTH AN ANNUAL SALES VOLUME OF AT LEAST \$1200.00 AND A PROMPT PAYMENT RECORD TO REMAIN AN OPEN ACCOUNT. By signing below, the undersigned represents that he/she is also authorized to sign this application as an agreement of the company. In the event that any invoice is not paid when due and Safety and Construction Supply, Inc. incurs attorney's fees in collecting any such invoice, all such reasonable attorney's fees will be paid by the undersigned to Safety and Construction Supply, Inc.

All shipments are FOB Denver, unless specifically quoted otherwise. Freight charges will be added to the invoice. The goods sold have been manufactured by others and as such will be warranted by said manufacturers. SCS makes no warranty of any kind, unless set forth in writing prior to sale. For complete terms and conditions, please see inside back cover of catalog.

PERSONAL GUARANTEE the undersigned hereby personally guarantees to perform all the terms and conditions of the applicant, including without limitations, personally guaranteeing payment for all merchandise and wquipment either purchased or leased by applicant from Safety and Construction Supply, Inc. The undersigned further acknowledges that this guarantee is unlimited in amount and duration and applied to all transactions and contractual agreements entered into between SCS and the applicant. In the event the conditions of this guarantee come into existence, the undersigned guarantors, their personal representaatives, executors, administrators, and assigns shall be bounded by the terms set fourth herein.

Signature (required): _____ Date: _____

Printed Name: _____ Social Security Number: _____

Address: _____ Home Phone: _____

AUTHORIZATION the financial information contained in the application is true and accurate.

I AUTHORIZE OUR BANK REPRESENTATIVE TO RELEASE INFORMATION ABOUT MY COMPANY TO SAFETY AND CONSTRUCTION SUPPLY, INC. SO THAT THEY CAN PROCESS OUR APPLICATION FOR CREDIT. THANK YOU.

Signature (required): _____ Date: _____

Printed Name: _____ Title: _____

All of the information including fax numbers and signatures required must be completed before this credit application can be processed and approved. Allow 3 weeks for applicaiton to be processed. You will be notified once your credit is approved.

FAX/MAIL ORDER FORM

SAFETY AND CONSTRUCTION SUPPLY, INC.

5590 Joliet Street Denver, Colorado 80239

Phone: 800-748-266 Fax: 303-371-8815

BILL TO:

Customer Account (if applicable): _____

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____ Email: _____

SHIP TO:

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____ Email: _____

METHOD OF PAYMENT

Open account number:

C.O.C. (\$6.00 service charge)

Interested in EFT? (call 1-800-748-2646) Check # _____

Credit card:  (circle one).

Card Number: _____

CVV #: _____ Expiration Date: _____

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____ Email: _____

Signature: _____

PRODUCT SELECTION

PRODUCT NO.	DESCRIPTION	QUANTITY	PRICE	TOTAL

THANK YOU FOR YOUR ORDER!

Please send your completed form to above address.
You can also fax your order 24 hours a day.
Questions? Call us toll free 1-800-748-2646, Monday through Friday,
7:30am - 5:00pm MST. We'll be happy to take your order over the phone or
answer your questions on order placement or shipping.

TOTAL MERCHANDISE COST

Shipping charges: For C.O.D. orders shipped via UPS, or Parcel Post,
add 8% of total merchandise cost. For all other orders,
actual freight charges will be billed.

HANDLING CHARGE \$5.00

SUBTOTAL

Add appropriate Colorado sales tax subtotal

TOTAL

TERMS AND CONDITIONS

TERMS General credit terms are net 20 days. Open accounts available to government agencies, institutions and firms rated good or better by Dun & Bradstreet. Others, please request a credit application. SCS requires an account to do \$1,200 on a yearly basis. Please Note: Should a customer consistently and abusively exceed these terms, credit privileges will be revoked and orders will be accepted only on a C.O.C. basis. A finance charge of 1.5% per month (18% annual rate) will be assessed on all accounts exceeding 45 days.

TAXES Add applicable sales taxes to your order. We reserve the right to add any taxes required by local ordinance. Firms purchasing products for resale under tax-free conditions must state applicable license/contract numbers and furnish necessary certification.

RESIDENTIAL DELIVERY Deliveries to private residences will be charged an additional \$5.00.

HAZARDOUS GOODS Certain items have been classified as hazardous goods and are subject to a \$25.00 UPS special handling fee.

BACK ORDERS Items temporarily out of stock will be back ordered. The balance of your order will be shipped immediately. If order is not completed within 30 days, we will notify you of a revised due date, and give you the option to cancel.

SPECIAL ORDERS Special orders or customized products are to be pre-paid by customer. No returns will be allowed.

DAMAGED GOODS Shipments are double-checked before dispatch. The carrier is responsible for damage or loss in transit. Claims must be filed within 15 days of receipt of shipment.

RETURNS ALL RETURNS MUST BE PRE-AUTHORIZED, shipped in the original carton or packaging, and in salable condition. All returns must be shipped pre-paid unless specific permission is given otherwise. If the return is due to any condition, other than a warranty condition, and is not an exchange for similar goods, the return will be subject to a 20% restock charge. SCS WILL NOT ACCEPT ANY RETURNS OVER A YEAR AFTER THE ORIGINAL SALE DATE.

SHIPPING/FREIGHT/DELIVERY We ship via UPS, Federal Express or truck, at our option. Call for express shipment rates. Most items are stocked for prompt shipment; factory drop shipments are the exceptions and made only to costs or time. All shipments are F.O.B. Denver, unless specifically quoted otherwise. Most orders will be shipped UPS with freight charges added to the invoice. Optional delivery methods are as follows: LOCAL DELIVERY: Local delivery is available via SCS truck. Delivery arrangements should be made at least one week in advance for delivery date. For all orders \$750.00 or rush orders, a delivery charge of \$25.00 will be assessed. A rush order is any order that has been placed and requested to be delivered that same day via SCS's truck; or any order placed after 2:45 P.M. requested to ship that same day via UPS, Fedx, or DPX. REGIONAL DELIVERY: Regional delivery is made upon prior arrangement. At customer's request, freight arrangements can be negotiated with regional carriers. DROP SHIP: Drop ships may be made for larger orders to on destination. These are FOB shipping points unless otherwise quoted. WILL CALL: Any order may be picked up at our "Will Call" counter during normal business hours.

LIMITATIONS OF WARRANTY The goods sold have been manufactured by others and as such will be warranted by said manufactures. Seller makes no warranty of any kind, either expressed or implied, unless set forth in writing prior to sale. No agent, employee, or representative of the seller had the authority to bind the seller to any affirmation representation or warranty concerning the goods sold, beyond that specifically included in writing. Seller shall not be liable under any circumstance for damages resulting from the use or misuse of any product sold. Statistical and product information is derived from data compiled by our manufactures and is reprinted by us for your convenience. We do not assume responsibility for the precise accuracy of such information.

25th Silver Anniversary Edition

SCS

Safety & Construction Supply, Inc.

Distributors of:

**Personal
Industrial
Utility**

WORK ZONE

FLEET

Safety Products